



**PRODUCT
CATALOGUE
2025**

FLUSH SWITCHES

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material
- Comply to IEC 60669-1



MQ5101J (1W)

- 1 Gang 1 Way Switch 10AX 250V~

MQ5101J (2W)

- 1 Gang 2 Way Switch 10AX 250V~



MQ5102J (1W)

- 2 Gang 1 Way Switch 10AX 250V~

MQ5102J (2W)

- 2 Gang 2 Way Switch 10AX 250V~




MQ5103J (1W)

- 3 Gang 1 Way Switch 10AX 250V~

MQ5103J (2W)

- 3 Gang 2 Way Switch 10AX 250V~



MQ5104J (1W)

- 4 Gang 1 Way Switch 10AX 250V~

MQ5104J (2W)

- 4 Gang 2 Way Switch 10AX 250V~



MQ5101J - BELL

- 1 Gang Bell Switch 10A 250V~



MQ5102J - BELL

- 2 Gang Bell Switch (Auto Gate Control) 10A 250V~



MQ5101 - 20A

- 20A Double Pole Switch with Light Indicator 20A 250V~



MQ5545

- 45A Double Pole Switch with Neon & Earth 45A 250V~

SOCKET OUTLETS

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Comply to MS 589-2; MS 1577; BS 546
- Ultra Violet (UV) Stable Material



MQ5131J

- 13A 1 Gang Switched Socket Outlet 13A 250V~

MQ5131J - DP

- 13A 1 Gang Double Pole Switched Socket Outlet 13A 250V~



MQ5132J

- 13A 2 Gang Switched Socket Outlet 13A 250V~



MQ5151

- 15A Switched Socket Outlet 15A 250V~



MQ5131J-DP-USB

- 13A 1 Gang Double Pole Switched Socket Outlet with 2 USB Port (Type A + Type C) 13A 250V~



MQ5131JL

- 13A 1 Gang Switched Socket Outlet with LED Indicator 13A 250V~



MQ5132JL

- 13A 2 Gang Switched Socket Outlet with LED Indicator 13A 250V~



MQ5151L

- 15A Switched Socket Outlet with LED Indicator 15A 250V~



MQ5131U

- 13A 1 Gang Universal Switched Socket Outlet 13A 250V~

COMMUNICATION DATA



MQ5101 - TV

- 1 Gang TV Outlet

MQ5201 - TV

- 2 Gang TV Outlet



MQ5101 - SAT

- 1 Gang Satellite TV Outlet (Astro)

MQ5201 - SAT

- 2 Gang Satellite TV Outlet (Astro)



MQ5201 - TV / SAT

- 2 Gang TV + Satellite Outlet (Astro)



MQ5101 - TEL

- 1 Gang RJ11 Cat 3 Telephone Outlet

MQ5201 - TEL

- 2 Gang RJ11 Cat 3 Telephone Outlet



MQ5101 - COM

- 1 Gang RJ45 Cat.5e Data Outlet

MQ5201 - COM

- 2 Gang RJ45 Cat.5e Data Outlet



MQ5101 - CAT 6

- 1 Gang Category 6 Data Outlet

MQ5201 - CAT 6

- 2 Gang Category 6 Data Outlet



MQ5201 - TEL / COM

- 2 Gang RJ11 Telephone Outlet & RJ45 Cat.5e Data Outlet



MQ5630D

- 630W Dimmer Switch 630W 250V~



MQ5101 - USB

- 1 Gang USB Power Charging Outlet Single USB Output : 5Vdc (2.4A)

MQ5201 - USB

- 2 Gang USB Power Charging Outlet Single USB Output : 5Vdc (2.4A + 2.4A)



MQ5100

- 1 Gang Blank Plate

FLUSH SWITCHES

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material
- Comply to IEC 60669-1; MS IEC 60669-1



MS8101(1W)

- 1 Gang 1 Way Switch 10AX 250V~

MS8101(2W)

- 1 Gang 2 Way Switch 10AX 250V~

MS8102(1W)

- 2 Gang 1 Way Switch 10AX 250V~

MS8103(1W)

- 3 Gang 1 Way Switch 10AX 250V~

MS8104(1W)

- 4 Gang 1 Way Switch 10AX 250V~

MS8101(INT)

- 1 Gang Intermediate Switch 10AX 250V~

MS8102(2W)

- 2 Gang 2 Way Switch 10AX 250V~

MS8103(2W)

- 3 Gang 2 Way Switch 10AX 250V~

MS8104(2W)

- 4 Gang 2 Way Switch 10AX 250V~



MS8101 BELL

- 1 Gang Bell Switch 10AX 250V~

MS8102 BELL

- 2 Gang Bell Switch (Auto Gate Control) 10AX 250V~

MS8101 (20A)(LED)

- 1 Gang 20A Double Pole Switch with LED Light & Earth 20A 250V~

MQ8845

- 1 Gang 45A Double Pole Switch with Neon & Earth 45A 250V~

MQ8845L

- 2 Gang 45A Double Pole Switch with Neon & Earth 45A 250V~

SOCKET OUTLETS

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Comply to BS 1363-2; SS 145-2; SS 472; MS 589-2; MS 1577
- Ultra Violet (UV) Stable Material



MS8131S

- 13A 1 Gang Switched Socket Outlet 13A 250V~

MS8132

- 13A 2 Gang Switched Socket Outlet 13A 250V~

MS8151

- 15A Switched Socket Outlet 15A 250V~

MQ8131U

- 13A 1 Gang Universal Switched Socket Outlet 13A 250V~

MS8131DP

- 13A 1 Gang Double Pole Switched Socket Outlet 13A 250V~

MS8132DP

- 13A 2 Gang Double Pole Switched Socket Outlet 13A 250V~



MS8131S(LED)

- 13A 1 Gang Switched Socket Outlet with LED 13A 250V~

MS8132(LED)

- 13A 2 Gang Switched Socket Outlet with LED 13A 250V~

MQ8131U(USB)

- 13A 1 Gang Universal Switched Socket Outlet with USB Charging Port 13A 250V~ USB : 5Vdc (2.4A)

MQ8131(W/S)

- 13A 1 Gang Unswitched Socket Outlet 13A 250V~

MS8151(LED)

- 15A Switched Socket Outlet with LED 15A 250V~

MS8131DP(LED)

- 13A 1 Gang Double Pole Switched Socket Outlet with LED 13A 250V~

MS8132DP(LED)

- 13A 2 Gang Double Pole Switched Socket Outlet with LED 13A 250V~

OTHER ACCESSORIES



MQ8101(TV)

- 1 Gang Coaxial TV Outlet

MQ8101(SAT)

- 1 Gang Coaxial TV Outlet (Satellite)

MQ8102(TV-SAT)

- 1 Gang Coaxial TV & Cable TV Outlet (Satellite)

MQ8101(TEL)

- 1 Gang RJ11 Cat 3 Telephone Outlet

MQ8101(COM)

- 1 Gang 8 Core RJ45 Cat.5e Data Outlet

MQ8102(TEL-COM)

- 1 Gang RJ11 Telephone Outlet & RJ45 Cat.5e Data Outlet

MQ8102(TV)

- 2 Gang Coaxial TV Outlet

MQ8102(SAT)

- 2 Gang Coaxial TV Outlet (Satellite)

MQ8102(TEL)

- 2 Gang RJ11 Cat 3 Telephone Outlet

MQ8102(COM)

- 2 Gang 8 Core RJ45 Cat.5e Data Outlet



MQ8101(CAT6)

- 1 Gang Category 6 Data Outlet

MQ8101 USB2.4A

- 1 Gang USB Power Charging Outlet Single USB Output : 5Vdc (2.4A)

MQ8102 USB2.4A

- 2 Gang USB Power Charging Outlet Single USB Output : 5Vdc (2.4A + 2.4A)

MQ8102(CAT6)

- 2 Gang Category 6 Data Outlet

FLUSH SWITCHES

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material
- Comply to IEC 60669-1; MS IEC 60669-1



2K101(1W)

- 1 Gang 1 Way Switch 10AX 250V~

2K101(2W)

- 1 Gang 2 Way Switch 10AX 250V~

2K101(INT)

- 1 Gang Intermediate Switch 10AX 250V~

2K102(1W)

- 2 Gang 1 Way Switch 10AX 250V~

2K102(2W)

- 2 Gang 2 Way Switch 10AX 250V~

2K103(1W)

- 3 Gang 1 Way Switch 10AX 250V~

2K103(2W)

- 3 Gang 2 Way Switch 10AX 250V~

2K104(1W)

- 4 Gang 1 Way Switch 10AX 250V~

2K104(2W)


- 4 Gang 2 Way Switch 10AX 250V~

2K105(1W)

- 5 Gang 1 Way Switch 10AX 250V~

2K105(2W)

- 5 Gang 2 Way Switch 10AX 250V~



2K101 BELL

- 1 Gang Bell Switch 10AX 250V~

2K102 BELL

- 2 Gang Bell Switch (Auto Gate) 10AX 250V~

2K102(20A)J-LED

- 1 Gang 20A Double Pole Switch with LED (Water Heater / Air Cond) 20A 250V~

2K45

- 45A Double Pole Switch with Light Indicator Neon & Earth 45A 250V~

2K45L

- 45A Double Pole Switch with Neon & Earth 45A 250V~

2K45 COOKER

- 45A Double Pole Switch & 13A Switched Socket Outlet with Neon 250V~

SOCKET OUTLETS

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material
- Comply to BS 1363-2; SS 145-2; SS 472; MS 589-2; MS 1577



2K131

- 13A 1 Gang Switched Socket Outlet 13A 250V~

2K131DP

- 13A 1 Gang Double Pole Switched Socket Outlet 13A 250V~

2K131(LED)

- 13A 1 Gang Switched Socket Outlet with LED 13A 250V~

2K131DP(LED)

- 13A 1 Gang Double Pole Switched Socket Outlet with LED 13A 250V~

3K151

- 15A 1 Gang Switched Socket Outlet 15A 250V~

3K151(LED)

- 15A 1 Gang Switched Socket Outlet with LED 15A 250V~



2K131(W/S)

- 13A 1 Gang Unswitched Socket Outlet 13A 250V~

2K132

- 13A 2 Gang Switched Socket Outlet 13A 250V~

2K132(LED)

- 13A 2 Gang Switched Socket Outlet with LED 13A 250V~

OTHER ACCESSORIES

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material



2K101(TV)

- 1 Gang Coaxial TV Outlet

2K102(TV)

- 2 Gang Coaxial TV Outlet

2K101(SAT)

- 1 Gang Cable TV Outlet

2K102(TV-S)

- 1 Gang Single Coaxial TV & Cable TV Outlet (Satellite)

2K101(TEL)

- 1 Gang RJ11 Cat 3 Telephone Outlet

2K102(TEL)

- 2 Gang RJ11 Cat 3 Telephone Outlet

2K101(COM)

- 1 Gang 8 Core RJ45 Cat.5e Data Outlet

2K102(COM)

- 2 Gang 8 Core RJ45 Cat.5e Data Outlet

2K102(TEL-COM)

- 1 Gang RJ11 Telephone Outlet & Cat.5e Data Outlet



2K101(CAT6)

- 1 Gang Category 6 Data Outlet

2K102(CAT6)

- 2 Gang Category 6 Data Outlet

2K101(USB2.4A)

- 1 Gang USB Power Charging Outlet Single USB Output : 5Vdc (2.4A)

2K102(USB2.4A)

- 2 Gang USB Power Charging Outlet Single USB Output : 5Vdc (2.4A + 2.4A)



FLUSH SWITCHES

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material
- Comply to IEC 60669-1; MS IEC 60669-1



MS101L(1W)

- 1 Gang 1 Way Switch 10AX 250V~

MS101L(2W)

- 1 Gang 2 Way Switch 10AX 250V~

MS102L(1W)

- 2 Gang 1 Way Switch 10AX 250V~

MS102L(2W)

- 2 Gang 2 Way Switch 10AX 250V~

MS103L(1W)

- 3 Gang 1 Way Switch 10AX 250V~

MS103L(2W)

- 3 Gang 2 Way Switch 10AX 250V~

MS104L(1W)

- 4 Gang 1 Way Switch 10AX 250V~

MS104L(2W)

- 4 Gang 2 Way Switch 10AX 250V~

MS101L BELL

- 1 Gang Bell Switch 10AX 250V~



MS102L(20A)

- 1 Gang 20A Double Pole Switch 20A 250V~

2K-13N

- 13A Switched Fused Connection Unit with Indicator Light Neon 13A 250V~

DIMMER CONTROLS



MQ 8500 (D)

- 500W Dimmer Switch 500W 250V~

2K163(630W)

- 630W Dimmer Control 630W 250V~

2K102(D500)

- 500VA Dimmer Controller Switch 500W 250V~

2K104(D500)

- 2 Gang 500VA Dimmer Controller Switch 500W 250V~

2K102(F400)

- 400VA Fan Controller Switch 400W 250V~



COLOUR series



MS8101(1W)

- 1 Gang 1 Way Switch with Yellow Rocker 10AX 250V~

MS8101(1W)

- 1 Gang 1 Way Switch with Red Rocker 10AX 250V~

MS8131DP

- 13A 1 Gang Double Pole Switched Socket Outlet with Yellow Rocker 13A 250V~

MS8131DP

- 13A 1 Gang Double Pole Switched Socket Outlet with Red Rocker 13A 250V~

MS8131

- 13A 1 Gang Switched Socket Outlet with Yellow Cover & Yellow Rocker 13A 250V~

INDUSTRIAL TYPE - METAL CLAD SERIES

- High Duty Metal Surface and Base
- Comply to IEC 60669-1; MS IEC 60669-1; BS 1363-2; SS 145-2; SS 472; MS 589-2; MS 1577



2K731

- 13A 1 Gang Surface Mounted Switched Socket Outlet 13A 250V~



3K751

- 15A Surface Mounted Switched Socket Outlet 15A 250V~



2K701 (TEL)

- Single Surface Mounted RJ11 Cat 3 Telephone Outlet



2K701 (COM)

- Single Surface Mounted RJ45 Cat.5e Data Outlet

2K701 (CAT6)


- Single Surface Mounted Category 6 Data Outlet

2K732

- 13A 2 Gang Surface Mounted Switched Socket Outlet 13A 250V~

SOCKET OUTLETS

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material
- Comply to BS 1363-2; SS 145-2; SS 472; MS 589-2; MS1577



MS131L

- 13A 1 Gang Switched Socket Outlet 13A 250V~

MS131L(NEON)

- 13A 1 Gang Switched Socket Outlet with Neon 13A 250V~

MS151L

- 15A Switched Socket Outlet 15A 250V~

MS132L

- 13A 2 Gang Switched Socket Outlet 13A 250V~



MU131L

- 1 Gang Universal Switched Socket Outlet 13A 250V~

MU132L

- 2 Gang Universal Switched Socket Outlet 13A 250V~

MS132L(NEON)

- 13A 2 Gang Switched Socket with Neon 13A 250V~

MINI SOCKETS ■



A3221

- 1 Gang Mini-type Switched Socket Outlet 13A 250V~ (70 x 60mm)

A3222

- 2 Gang Mini-type Switched Socket Outlet 13A 250V~ (130 x 60mm)

Special COLOURS

for project usage



2K131

- 13A 1 Gang Switched Socket Outlet with Yellow Rocker 13A 250V~

2K131

- 13A 1 Gang Switched Socket Outlet with Red Rocker 13A 250V~

2K102(1W)

- 2 Gang 1 Way Switched Socket with Yellow Rocker 10AX 250V~

2K102(1W)

- 2 Gang 1 Way Switched Socket with Red Cover & Red Rocker 10AX 250V~

2K701(1W)

- 1 Gang 1 Way Metal Clad Surface Mounted Switched with Yellow Rocker 10AX 250V~

2K731

- 13A 1 Gang Metal Clad Surface Mounted Switched Socket Outlet with Red Rocker 13A 250V~



2K701(1W)

- 1 Gang 1 Way Surface Mounted Switch 10AX 250V~

2K701(2W)

- 1 Gang 2 Way Surface Mounted Switch 10AX 250V~

2K701(INT)

- 1 Gang Intermediate Surface Mounted Switch 10AX 250V~



2K702(1W)

- 2 Gang 1 Way Surface Mounted Switch 10AX 250V~

2K702(2W)

- 2 Gang 2 Way Surface Mounted Switch 10AX 250V~



2K704(1W)

- 4 Gang 1 Way Surface Mounted Switch 10AX 250V~

2K704(2W)

- 4 Gang 2 Way Surface Mounted Switch 10AX 250V~



2K702(20A)

- 1 Gang Double Pole Mounted Surface Switch with Neon 20AX 250V~



2K703(1W)

- 3 Gang 1 Way Surface Mounted Switch 10AX 250V~

2K703(2W)

- 3 Gang 2 Way Surface Mounted Switch 10AX 250V~



2K705(1W)

- 5 Gang 1 Way Surface Mounted Switch 10AX 250V~

2K705(2W)

- 5 Gang 2 Way Surface Mounted Switch 10AX 250V~



2K701 BELL

- 1 Gang Surface Mounted Bell Press 10AX 250V~ 10AX 250V

TECHNICAL DATA

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material
- Fitted with UK Certified Fuse
- Comply to MS 589-3; MS 1579



SA-32

- 3 Way Adaptor with LED Switch & 13A Fuse 13A 250V~
- Pattern Right Reg. No. MY 10-00582-0101



2K-333L

- 3 Way Adaptor with Neon 13A 250V~



NP228 NEON

- 3 Way Universal Adaptor with Neon 250V~



MA-8322(SURGE)

- 8 Way T-Type Multi Adaptor with Surge Protector 13A 250V~

Pattern Right Reg. No. MY 9-00553-0106

PLUG TOPS



Fitted with BS 1362 Certified Fuse

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material
- Fitted with UK Certified Fuse
- Comply to BS 1363-1; SS 145-1; SS 472; MS 589-1; MS 1577; SASO 2203



MA18

- 13A Rewireable Fused Plug 13A 250V~



MA18(BLACK)

- 13A Rewireable Fused Plug 13A 250V~



MA18(NEON)

- 13A Rewireable Fused Plug with Neon 13A 250V~



MA15

- 15A PLUG 15A 250V~

ISOLATOR

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material
- Comply to IEC 60947-3; IEC 60947-1



Dimension: 86MM x 86MM x 81MM

WMI216

- 2 Pole 16A Switch Isolator 16A 240V~

WMI220

- 2 Pole 20A Switch Isolator 20A 240V~



WM-320

- 3 Pole 20A Switch Isolator 20A 415V~

WM-332

- 3 Pole 32A Switch Isolator 32A 415V~

WM-363

- 3 Pole 63A Switch Isolator 63A 415V~

OTHER ACCESSORIES



MH - 202

- Pendant Lamp Holder Socket Type B22 2A 250V~



MH - 203

- Wedge Holder Socket Type B22 2A 250V~



MH - 204

- Lamp Holder Screw Type E27 4A 250V~



MH - 205

- Lamp Holder Screw Type E27 4A 250V~



MH - 206

- Wedge Holder Screw Type E27 4A 250V~



13A FUSE

- 13A Fuse Approved by Asta Standard : BS 1362



ME - 100

- Weatherproof Socket Cover



PK - 100

- Plug Key with Safety Shutter



PH - 100

- Adhesive Plug Holder



2K 60C

- 60A Fuse Holder 60A 240/415V

PORTABLE CABLE REELS

TECHNICAL DATA

- Certified to SIRIM & Suruhanjaya Tenaga
- Fire Retardant (FR) Body

- Socket Outlet & Plug Top : High Impact Polycarbonate (PC) with Fire Retardant & UV Stabilizer
- 100% Pure Copper Cable (Made in Malaysia) with SIRIM (Malaysia) & VDE (Germany) Approval



2K - 3321 (5M)

- 1 Gang Portable Cable Reel
- Cable Length : 5M**
- Cable Size : 0.50mm² x 3C**
- Max. Load : 1000W**

2K - 3321 (10M)

- 1 Gang Portable Cable Reel
- Cable Length : 10M**
- Cable Size : 0.50mm² x 3C**
- Max. Load : 1000W**

2K - 3321 (10M)

- 1 Gang Portable Cable Reel
- Cable Length : 10M**
- Cable Size : 1.25mm² x 3C**
- Max. Load : 3000W**



2K - 3322 (5M)

- 2 Gang Portable Cable Reel
- Cable Length : 5M**
- Cable Size : 0.50mm² x 3C**
- Max. Load : 1000W**

2K - 3322 (10M)

- 1 Gang Portable Cable Reel
- Cable Length : 10M**
- Cable Size : 0.50mm² x 3C**
- Max. Load : 1000W**

2K - 3322 (8M)

- 1 Gang Portable Cable Reel
- Cable Length : 8M**
- Cable Size : 1.25mm² x 3C**
- Max. Load : 3000W**



2K - 211 (6M)

- 1 Gang Portable Cable Reel
- Cable Length : 6M**
- Cable Size : 1.25mm² x 3C**
- Max. Load : 3000W**

2K - 211 (8M)

- 1 Gang Portable Cable Reel
- Cable Length : 8M**
- Cable Size : 1.25mm² x 3C**
- Max. Load : 2500W**

2K - 211-TCB (10M)

- 1 Gang Portable Cable Reel with Thermal Cut Out
- Cable Length : 10M**
- Cable Size : 0.75mm² x 3C**
- Max. Load : 2000W**



2K - 222 (6M)

- 2 Gang Portable Cable Reel
- Cable Length : 6M**
- Cable Size : 1.25mm² x 3C**
- Max. Load : 3000W**

2K - 222-TCB (10M)

- 2 Gang Portable Cable Reel with Thermal Cut Out
- Cable Length : 10M**
- Cable Size : 0.75mm² x 3C**
- Max. Load : 2000W**

Cable Size Guideline

- 0.50mm² x 3C
- 0.75mm² x 3C
- 1.25mm² x 3C

*Each product has a different cable size. Please check the table above for reference.

• Comply to



CERTIFIED TO : MS1144 : 2017
CERTIFICATION NO : PM076205



2K - 244 (7M)

- 4 Gang Portable Cable Reel
- Cable Length : 7M**
- Cable Size : 1.25mm² x 3C**
- Max. Load : 3000W**

2K - 344 (15M)
2K - 344 (24M)
2K - 344 (40M)


- 4 Gang Industrial Type Portable Cable Reel
- Cable Length : 15M/24M/40M**
- Cable Size : 1.25mm² x 3C**
- Max. Load : 3000W**

PORTABLE SOCKET OUTLETS

PORTABLE EXTENSION SOCKET

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- 100% Pure Copper Cable (Made in Malaysia) with VDE (Germany) Approval

- High Quality Cable is Certified to BS EN 50525-2-11
- Ultra Violet (UV) Stable Material
- High Quality Plug Top Fitted with UK Certified Fuse
- Comply to MS 589-1; SS 145-2



Portable Switched Socket Outlet with Individual Neon Switch

- MA1182 (2M) / (5M)
- MA1183 (2M) / (5M)
- MA1184 (2M) / (5M)
- MA1185 (2M) / (5M)
- MA1186 (2M) / (5M)
- MA1183(3M)-SURGE
- MA1184(3M)-SURGE
- MA1185(3M)-SURGE
- MA1186(3M)-SURGE



MA - 3384USB

- 4 Gang Portable Switched Socket Outlet with 2 USB Ports
- 13A 250V~ (USB : 2.4A)

UNIVERSAL TRAILING SOCKET

- High Impact Polycarbonate (PC) Surface
- Fire Retardant (FR) Body
- Ultra Violet (UV) Stable Material

- High Quality Plug Top Fitted with UK Certified Fuse
- Approved Pure Copper Cable & Components



Universal Portable Switched Socket Outlet with Individual Neon Switch

- MA1132 (3M)
- MA1133 (3M)
- MA1134 (3M)
- MA1135 (3M)
- MA1136 (3M)



MA - 2234USB

- 4 Gang Universal Portable Switched Socket Outlet with 2 USB Ports
- 13A 250V~ (USB : 2.1A)